



HOOF TRIMMING CATALOGUE

 **GENERALFARM**
veterinaria e zootecnia


GENERALFARM s.r.l. - Via Umbria, 32 - 42122 Reggio Emilia - Tel. 0522 514251 - Fax 0522 514376
www.generalfarm.it - e-mail: Info@generalfarm.it

Two components fast-setting Adhesive

3 different Formulations, 2 different packages, the right choice for every situation and environment, summer or winter weather



- PEDIBOND TWO-COMPONENTS FAST-SETTING ADHESIVE
- AVAILABLE TWO FORMULAS AND FOUR DIFFERENT PACKAGING, WITH SCREW OR BLOCKING RING CONNECTION
- QUICK AND EASY APPLICATION, HARDENING 20-30 SEC., LIMB RELEASE 2-3 MINUTES
- NO SOLVENTS AND NO UNPLEASANT ODORS
- PATENTED, ANTI-WASTE LOCKING AND HOOKING SYSTEM FOR MIXER
- 200 ML CARTRIDGE
- LABELING AND SAFETY DATA SHEETS IN ACCORDANCE WITH THE LAW



Standard formula

Hardening 30 seconds,

Limb release 3-4 minutes

141900 Standard blocking ring

141970 Standard screw connection



Black Fast

Hardening 20 seconds,

Limb release 2-3 minutes

141982 Black Fast blocking ring

141983 Black Fast screw connection



Four season

Hardening 20 seconds,

Limb release 2-3 minutes

141980 Four season blocking ring

141981 Four season screw connection




Accessories:


140715 Pedibond Gun




140716 Mixer tips for blocking ring connection, 7x24



140711 Mixer tips for blocking ring connection, 8x24



140717 Mixer tips for screw connection, 7x24



PEDIFLEX

COHESIVE WRAPPING BANDAGE



144300 Pedi-Flex cohesive bandage cm.10 x 4,5 mt blue-red-green colors

144301 Pedi-Flex cohesive bandage cm. 5 x 4,5 mt blue-red colors

Biodegradable version

144305 Pedi-Flex cohesive bandage cm.10 x 4,5 mt Biodegradable white





007430 Cotton wool bandage cm.10 x 4 mt

007431 Cotton wool bandage cm.15 x 4 mt

006920 Certoplast Tar Bandage mm.45 mt.25



006910 Menavet Tar Bandage cm.5 mt.25



006900 Kromberg Tar Bandage mm.45 mt.25



046400 Jute cloth bandage mt.40

046401 Jute cloth bandage mt.30



CICATRYMAX



For the support of the hoof and the skin problems in all species.



EASY TO APPLY

STRONG ADHESION

ADSORPTIVE ACTION

EFFECTIVE



Suitable for skin lesions, ulcer and sores. Improve animal welfare.

INDICATIONS

Cicatrymax is a spray for the skin and hoof to promote healing, prevent infection and protect the skin from rashes and irritation.



- ✓ Umbilical disinfection
- ✓ Udder cleft dermatitis
- ✓ Treatment of digital dermatitis
- ✓ Cuts and scrapes
- ✓ On sheep both on their feet and horns (dehorning)



- ✓ Treatment of injury caused by pig biting
- ✓ Protection of irritated skin



- ✓ Soothing action, reduces the sensation of itching or burning.
- ✓ Dermoprotective action

BEFORE USING

Clean the skin. Spray onto the surface of the area and if necessary repeat 2-3 times a day. For external use only.

CICATRYMAX

WELLNESS FOR ALL KIND OF ANIMALS SKIN

Available in

SPRAY

or

POWDER

For the protection of the skin for external aggressions and irritation.



Zinc based spray that forms a protective layer and strengthens the skin barrier by acting on the regeneration and renewal of the skin.

150910

Blue Spray 400ml

Blue-tinting skin and
hoof care spray for animals



150920

Silver Spray 200 ml

Protects the skin with an elastic,
breathable and moisture-repellent
metal film.



150900

Hoof and Claw Spray

200ml Black, film-forming and
oil-containing care spray for
hooves, claws and other
keratinic tissue



150940

Zinc Oxide Spray 200 ml

Ointment spray to support the
skin's natural regeneration



122720

Hoof paste Podoseptan 450ml

protects and regenerates the soft tissue of
claws and hooves, herbal extract Thyme and
rosemary , Zinc , green color



Beechwood Tar TarPaste

065710 KG.5

viscous, high-quality beechwood

065700 KG.1

tar , well tried substance for hoof
and claw care



PRO-DISC

ALUMINUM PROFESSIONAL TRIMMING WHEELS

Code 063336

Pro-Disc ROUND 100 mm

3 open slot

3 inserts Ø 16mm



Code 063351

Pro-Disc NINJA 100 mm

2 open slot

4 inserts 3m



Code 063335

Pro-Disc CONVEX 108 mm

3 open slot

6 inserts 3 mm



Code 063334

Pro-Disc CONVEX 108 mm

2 open slot

4 inserts 3mm



Code 063353

Pro-Disc FLAT 114 mm

**5 open slot
5 inserts 3mm**



Code 063354

Pro-Disc FLAT 114 mm

**3 closed slot
6 inserts 3mm**



Code 063330

Pro-Disc FLAT 114 mm

**3 open slot
6 inserts 3mm**



Code 063333

Pro-Disc FLAT 114 mm

**3 open slot
6 inserts 2mm**



Code 063352

Pro-Disc ROUND 100 mm

2 open slot
2 inserts Ø 16mm



Code 063338

Pro-Disc CONVEX 108 mm

3 open slot
6 inserts 2mm



Code 063343

Pro-Disc FLAT 114 mm

2 open slot
4 inserts 3mm



Code 063342

Pro-Disc FLAT 110 mm

3 open slot
6 inserts 3 mm






Art. 063316

**Spare inserts
XDS 2mm**

4 cutting sides numbered



Code 063323

**Spare inserts
XDS 3mm**

4 cutting sides, sharp angle



Code 063363

**Spare inserts XDR 3mm
4 cutting sides, round angle**



Code 063364

**Spare inserts XDB 3mm
4 cutting sides, bevel angle**



Art. 063322

Inserts, 2 cutting sides



Art. 063326

Inserts, Round Ø 16mm



Code 063315

Aluminium Disc 120mm

6 inserts 2 sides



Code 063327

Aluminium Disc 103mm

4 inserts 3mm 2 sides



Code 063311

Aluminium Disc 100mm

7 knives, cuts 3mm



Code 063314

ROTOCLIP hoof trimming disc

5 slot



Code 063310

Philipsen Superhof 115 mm thigt

One sided



Code 063321

Philipsen Superhof 115 mm wide

One sided



Code 063340

Hoof Cutting Disc P6 red 105 mm

Cutting high 1,5mm



Code 063341

Hoof Cutting Disc P6 orange 125 mm

Cutting high 1,5mm



Hoof trimming tools:

145400 Angle for grinder handle



145410 Metabo grinder 900 watt



145420 Metabo Hot air gun



145415 Metabo grinder 1100 watt



152310 Bandage knife



152300 Bandage knife



134210 Footbath Super Kombi



cm.203x83

200 liter

140720 Heating box



039203 Icar Plier 16"



022601 Hoof Professional plier
with crossed jaws



037001 Hoof testing plier cm.37



039205 Farrier Nipper Gfr 14"

039206 Farrier Nipper Gfr 15"



157900 Dick belt grinding machine



119110 Diamond coated sharpening steel

140 x 19 x 6 mm



119100 Sharpening stone

120x30x6mm



119101 Lapping stone

100x50x20mm



Hoof trimming Knives:

023530 Dick Expert Grip 2K blue



023531 Dick Bison



023511 Aesculap narrow blade



023510 Aesculap large blade



023509 Hauptner narrow blade



023505 Hauptner large blade



023520 Icar classic straight blade



023522 Icar classic drop blade



drop blade

straight blade



023533

CLASSIC BLADE
High grade
carbon steel

Art. 4022B21 R
Art. 4122B21 L

Length 130 mm
Cutting edge 60 mm
Weight ~ 40 gr

023521

CLASSIC BLADE
Stainless steel
blade

Art. 4060B21 R
Art. 4160B21 L

Length 130 mm
Cutting edge 60 mm
Weight ~ 40 gr

023527

DROP BLADE
High grade
carbon steel

Art. 4024B21 R
Art. 4124B21 L

Length 130 mm
Cutting edge 60 mm
Weight ~ 40 gr

023523

DROP BLADE
Stainless steel
blade

Art. 4061B21 R
Art. 4161B21 L

Length 130 mm
Cutting edge 60 mm
Weight ~ 40 gr

023532 Icar abscess straight blade



023526 Icar Knifergo drop blade



023529 Icar Vet 2 alu straight blade



023524 Icar Vet 2 alu drop blade



023533

CLASSIC BLADE

High grade carbon steel

Art. 4022B21 R
Art. 4122B21 L

Length 130 mm
Cutting edge 60 mm
Weight ~ 40 gr

023521

CLASSIC BLADE

Stainless steel blade

Art. 4060B21 R
Art. 4160B21 L

Length 130 mm
Cutting edge 60 mm
Weight ~ 40 gr

023527

DROP BLADE

High grade carbon steel

Art. 4024B21 R
Art. 4124B21 L

Length 130 mm
Cutting edge 60 mm
Weight ~ 40 gr

023523

DROP BLADE

Stainless steel blade

Art. 4061B21 R
Art. 4161B21 L

Length 130 mm
Cutting edge 60 mm
Weight ~ 40 gr

18



ABSCESS LOOP BLADE

Forged stainless steel blade

Art. 4068B19 19mm

Length 126 mm
Cutting edge 19 mm
Weight ~ 40 gr

ABSCESS LOOP BLADE

Forged stainless steel blade

Art. 4068B19 11mm

Length 126 mm
Cutting edge 11 mm
Weight ~ 40 gr

CATTLE KNIFE BLADE

High grade carbon steel

Art. 4056B21 R
Art. 4156B21 L

Length 130 mm
Cutting edge 67 mm
Weight ~ 40 gr

HOT DROP FORGED LOOP BLADE

Forged stainless steel blade

Art. 4069B21

Length 100 mm
Cutting edge 35 mm
Weight ~ 50 gr

023528 Icar knives-holder PANZER



023524 Icar knivesholder THUNDER



046215 Beech wooden block

Standard 110mm * 22mm



046218 Beech wooden block

Thin 110mm * 18mm



046216 Beech wooden block

XXI 130mm * 25mm



046217 Beech wooden block

Wedged XXL 130mm



TP BLOCK MODELS



TP112 = thin ORANGE

THIN SMALL H.8

48x120x8mm
1,89x4,72x0,31inch



TP113 = thin BLUE soft



TP109 = XXL H.9mm ORANGE

XXL H.9

56x136x9mm
2,20x5,35x0,35 inch



TP108 = XXL H.9mm BLUE soft



TP101 = standard ORANGE

STANDARD H.14

48x120x14mm
1,89x4,72x0,55 inch



TP100 = standard BLUE soft



STANDARD H.14 evo

48x120x14mm
1,89x4,72x0,55 inch



TP122 = standard ORANGE EVO

STANDARD H.14 supersoft



48x120x14mm
1,89x4,72x0,55 inch



TP121 = standard **PURPLE** supersoft

STANDARD H.14 BIODEGRADABLE models



48x120x14mm
1,89x4,72x0,55 inch



TP116 = standard **BIO**



ORIGINAL H.18


48x120x18mm
1,89x4,72x0,70 inch



TP114 = original **ORANGE**

TP115 = original **BLUE** soft

ORIGINAL H.18 supersoft



48x120x18mm
1,89x4,72x0,70 inch



TP120 = original **PURPLE** supersoft

ORIGINAL H.18 BIODEGRADABLE models



48x120x18mm
1,89x4,72x0,70 inch



TP117 = original BIO



XXL H.18

56x136x18mm
2,20x5,35x0,7 inch



TP111 = XXL ORANGE

TP110 = XXL BLUE soft

XXL H.18 supersoft



56x136x18mm
2,20x5,35x0,7 inch



TP119= XXL PURPLE supersoft

XXL H.18 BIODEGRADABLE models



56x136x18mm
2,20x5,35x0,7 inch



TP118 = XXL BIO



XXL TOP H.25

56x136x25mm
2,20x5,35x0,98 inch



TP125= XXL top 25 ORANGE



XXL TOP H.25

56x136x25m
2,20x5,35x0,98 inch



TP124= XXL top 25 BLUE soft



XXL TOP H.25 supersoft

56x136x25m
2,20x5,35x0,98 inch



TP127= XXL top PURPLE supersoft




XXL TOP H.25 BIODEGRADABLE models



56x136x25m
2,20x5,35x0,98 inch



TP126= XXL top BIO



IRON BLOCK for COW





TP 106 = IRON BLOCK
BROWN SIZE 0

TP 107 = IRON BLOCK
BROWN SIZE 2

SIZE GUIDE

Fronts	Windth mm/inch	Hell/toe mm/inch
0	135mm/5 1/4"	130mm/5 1/8"
2	145mm/5 3/4"	140mm/5 1/2"



THE HOOK TP



COD. **TP 200**

material: nylon
high elastic modulus

color: green

dimensions: opening ~ 73 mm=2,87 in
Ø hole ~ 15,5 mm=0,61 in

range temperatures:
-30° +120°

breking point: tested up to 1500 lbs.

weight: ~ 300 gr.



applications:



DATA-TRIM

hoof care system app



27

FOR TECHNICAL SUPPORT, PLEASE CONTACT:

Dott. TESTORI FABIO

supporto@famaservice.it mob. +39 347 505 85 18

Time Trimming del 27/09/2024 presso aaaaa1 Capi visitati:0 - pareggi:0

Cow Nr.	Feet	block	bandages	Antibiotic	Antinfiamm.	Recheck
5		0	1	✓	✓	

Claw	Feet Zone	block	bandages	Ung. Cavat.	Diagnosis	Gravity
1- ASE	4	✓	✓	✓	L	3
6- PDI	8	✓	✓	✓	WL	Cronic

Commento

Ultima Verifica

Ultimi Capi:

A

B

Abscessale

Diagnosi/ GRAVITA'

1	2	3
4	5	6
7	8	9
<=	0	

SALVA

STORICO

ELENCO

CONTROLLO

Time Trimming del 27/09/2024 presso aaaaa1 Capi visitati:1 - pareggi:1


Cow Nr.	Feet	block	bandages	Antibiotic	Antinfiamm.	Recheck
63				✓	✓	
Claw	Feet Zone	block	bandages	Ung.Cavat.	Diagnosis	Gravity

Commento _____


Ultima Verifica  **capo 63, P, 13/09/2024**
2 // 5 - 2 - 4 - 3 TS-L-WA

Ultimi Capi: 5 - - - -

A




B



Assiale

10



8

Assiale

Diagnosi/ GRAVITA'

1 **SALVA**

2 **STORICO**

3 **ELENCO**


3 **CONTROLLO**

Cronica / 4

SALVA E CHIUDI

1	2	3
4	5	6
7	8	9
<=	0	
CAPO		PIEDI

28



NOTE

GENERALFARM veterinaria e zootecnia

Reggio Emilia - Via Umbria, 32
Tel. +39 0522 514251 - Fax +39 0522 514376
www.generalfarm.it - e-mail: info@generalfarm.it



Shipments throughout Europe



12 - 15 November 2024
Hanover, Germany

STAND 11
11B33